REMARKS

In the application, Formula (I) bears the subscript "n", but through inadvertence "n" was not defined. Also, in claim 8, "structure" Π has been amended to recite "formula" Π to conform with the specification at page 13, line 2.

Applicant requests that the Examiner enter this preliminary amendment to correct the omission. It would advance prosecution of the case if the amendment were entered before examination on the merits.


Attached hereto is a marked-up version of the changes made to the specification and claims by the current amendment. The attached page(s) is captioned "Version With Markings To show Changes Made."

Respectfully submitted,

Attorney for Applicants Registration No. 34,278

Doreen M. Wells/f-d Rochester, NY 14650

Telephone: (716) 588-2405 Facsimile: (716) 477-1148



The paragraph beginning on page 10, line 4 has been amended as set forth below:

wherein n is about 5 to 1000 and wherein R_1 and R_2 are independently hydrogen or a substituted or unsubstituted alkyl group having 1 to 4 carbon atoms, or together form a substituted or unsubstituted group or a substituted or unsubstituted 1,2-cyclohexylene group.

In the Claims:


In the Specification:

Claim 6 has been amended as set forth below:

6. (Amended) The imaging material of claim 1 wherein said antistatic layer comprises electronically conductive polymer particles of a polythiophene present in a cationic form with a polyanion, said polythiophene comprising recurring units defined by the following Formula I wherein n is about 5 to 1000 and wherein R₁ and R₂ are independently hydrogen or a substituted or unsubstituted alkyl group having 1 to 4 carbon atoms, or together form a substituted or unsubstituted group or a substituted or unsubstituted 1,2-cyclohexylene group:

Claim 8 has been amended as set forth below:

8. (Amended) The imaging material of claim 1 wherein



said neutral-charge conductivity enhancer is:

(A) represented by the following [Structure] Formula II: $(OH)_n-R-(COX)_m$

wherein m and n are independently an integer of from 1 to 20, R is an alkylene group having 2 to 20 carbon atoms, an arylene group having 6 to 14 carbon atoms in the arylene chain, a pyran group, or a furan group, and X is -OH or -NYZ, wherein Y and Z are independently hydrogen or an alkyl group, or

(B) a sugar, sugar derivative, polyalkylene glycol, or glycerol compound.